ELSEVIER

Environmental and Experimental Botany 38 (1997) 279

Environmental and Experimental Botany

Author index

Agrawal, M. 199
Alberdi, M. 99
Almaráz, L. B. 109
Alvarez, J. 263
Antonielli, M. 271
Armstrong, R. A. 73
Arriaga, H. O. 109

Batini, P. 271
Bender, J. 131
Benvenuti, S. 61
Biswal, U. C. 237
Branquinho, C. 165
Brocchi, G. N. 109
Brown, D. H. 165
Buta, J. G. 1

Cacho, M. 263
Castro, A. M. 109
Catarino, F. 165
Cholevas, C. 223
Cocucci, S. M. 187
Collantes, H. G. 231
Corcuera, L. J. 99

Deltova, R. 87
Desai, T. S. 237
Dijak, M. 49

Ederli, L. 271
Espen, L. 187

Feldhake, C. M. 81
Fernández-Tárrago, J. 263
Fitt, G. P. 145
Fuhrer, J. 251

Gianoli, E. 231
Gilot-Delhalle, J. 87
Giménez, D. O. 109
Glenn, D. M. 81
Guerra, H. 263

Idso, S. B. 15
Igawa, M. 155

Joshi, P. N. 237

Kameda, H. 155
Karabourniotis, G. 223
Kelting, D. L. 243
Khan, M. R. 117
Khan, M. W. 117

Layzell, D. B. 49
Lee, E. H. 199
Liakoura, V. 223
Lin, J. 49
Loreto, F. 271

Macchia, M. 61
Macdowell, F. 49
Maldonado, C. A. 99
Manderscheid, R. 131
Manetas, Y. 223
Maruyama, F. 155
Meier, M. 251
Moscatello, S. 271
Moutschen, J. 87

Nair, P. M. 237
Niemeyer, H. M. 231

Okochi, H. 155
Oosterhuis, D. 7
Otsuka, I. 155

Pasqualini, S. 271
Pirovano, L. 187

Qi, Ling 1

Rakonczay, Z. 243
Ramaswamy, N. K. 237
Raval, M. K. 237
Reddy, K. R. 39
Reddy, V. R. 39
Roelandts, I. 87
Rowland, R. A. 199
Rumi, C. P., 109

Sadras, V. O. 145
Schenk, U. 131
Seiler, J. R. 243
Sevrin-Reyssac, J. 211
Smith, D. L. 49
Stefanou, M. 223

Tantaoui El Araqi, K. 87
Tyler, G. 181

Upadhyaya, A. 199

Voldeng, H. 49

Walsh, K. 49
Wang, C. Y. 1
Wang, Z. 39
Weber, G. 87
Weigel, H. J. 131

Zhang, F. 49
Zhao, D. 7
Zuñiga, G. E. 99

ELSEVIER

Environmental and Experimental Botany 38 (1997) 281–284

Environmental and Experimental Botany

Subject index

ABA; *Avena*; Abscisic acid; Cold tolerance; Drought; Glycine betaine; Lipids; Proline; Sucrose 99
Abies firma; Acid fog; Chlorophyll; Forest decline; Water loss 155
Abscisic acid; *Avena*; ABA; Cold tolerance; Drought; Glycine betaine; Lipids; Proline; Sucrose 99
Abscissic acid; Fluorescence; *Nicotiana tabacum*; Ozone; Xanthophylls 271
Acer rubrum; *Pinus strobus*; *Quercus rubra*; Root respiration; Time response 243
Acid fog; *Abies firma*; Chlorophyll; Forest decline; Water loss 155
Aerial fertilization effect; Carbon dioxide; CO_2; Global change; Greenhouse effect; Photosynthesis; Plant growth 15
Aldicarb; Cotton; Growth and development; Soil depth; Temperature 39
Antioxidative enzymes; EDU; Free radical; Glutathione; HPLC-EC; Hydroxyl radical; Ozone injury; *Phaseolus vulgaris*; Phytoprotection; Salicylic acid 199
Apical dominance; *Campylomma livida*; Cotton; *Creontiades dilutus*; *Gossypium barbadense*; *Gossypium hirsutum*; *Helicoverpa* spp.; Insect herbivory 145
Avena; Abscisic acid; ABA; Cold tolerance; Drought; Glycine betaine; Lipids; Proline; Sucrose 99
Barley; Greenbug; *Hordeum vulgare*; P-influx; *Schizaphis graminum*; Systemic damage 109
Campylomma livida; Apical dominance; Cotton; *Creontiades dilutus*; *Gossypium barbadense*; *Gossypium hirsutum*; *Helicoverpa* spp.; Insect herbivory 145
Carbon dioxide; Aerial fertilization effect; CO_2; Global change; Greenhouse effect; Photosynthesis; Plant growth 15
Carex pilulifera; Plant uptake; Potassium deficiency; Soil pH; Rubidium 181
Cellular location; Chlorophyll fluorescence; *Cladonia portentosa*; Copper; Desiccation; Lichens; *Ramalina fastigiata*; *Usnea* spp. 165
Chilling injury; *Cucurbita pepo*; Fourier transform infrared spectroscopy; Zucchini squash 1
Chlorophyll; *Abies firma*; Acid fog; Forest decline; Water loss 155
Chlorophyll fluorescence; Cellular location; *Cladonia portentosa*; Copper; Desiccation; Lichens; *Ramalina fastigiata*; *Usnea* spp. 165
Chromosome fast rejoining; Fractionated X-ray exposures; Iron and copper enrichments; *Nigella damascena* 87
Cladonia portentosa; Cellular location; Chlorophyll fluorescence; Copper; Desiccation; Lichens; *Ramalina fastigiata*; *Usnea* spp. 165
CO_2; Aerial fertilization effect; Carbon dioxide; Global change; Greenhouse effect; Photosynthesis; Plant growth 15
CO_2 enrichment; Nitrogen fixation; Radiation use efficiency; Temperature effect; *Trifolium repens* 131
Cold tolerance; *Avena*; Abscisic acid; ABA; Drought; Glycine betaine; Lipids; Proline; Sucrose 99
Copper; Cellular location; Chlorophyll fluorescence; *Cladonia portentosa*; Desiccation; Lichens; *Ramalina fastigiata*; *Usnea* spp. 165
Cotton; Apical dominance; *Campylomma livida*; *Creontiades dilutus*; *Gossypium barbadense*; *Gossypium hirsutum*; *Helicoverpa* spp.; Insect herbivory 145
Cotton; Growth and development; Aldicarb; Soil depth; Temperature 39
Cotton; Photosynthesis; PGR-IV; Water potential components; Water stress 7
Creontiades dilutus; Apical dominance; *Campylomma livida*; Cotton; *Gossypium barbadense*; *Gossypium hirsutum*; *Helicoverpa* spp.; Insect herbivory 145
Cucurbita pepo; Chilling injury; Fourier transform infrared spectroscopy; Zucchini squash 1

Cultivars; Low temperature; N_2 fixation; NO_3 utilization; Physiology; Soyabean 49
Dactylis glomerata; Elevated CO_2; Nitrogen supply; *Trifolium pratense*; Water supply 251
Datura stramonium; Germination ecology; Light quality; Phytochrome; Seed dormancy; Very low fluence response; Weeds 61
Defoliation; DIBOA; Herbivory; Hydroxamic acids; Rye; *Secale cereale*; Secondary metabolites 231
Desiccation; Cellular location; Chlorophyll fluorescence; *Cladonia portentosa*; Copper; Lichens; *Ramalina fastigiata*; *Usnea* spp. 165
DIBOA; Defoliation; Herbivory; Hydroxamic acids; Rye; *Secale cereale*; Secondary metabolites 231
Drought; *Avena*; Abscisic acid; ABA; Cold tolerance; Glycine betaine; Lipids; Proline; Sucrose 99
Eaux claires; Étangs de pisciculture; Phytoplanction 211
EDU; Antioxidative enzymes; Free radical; Glutathione; HPLC-EC; Hydroxyl radical; Ozone injury; *Phaseolus vulgaris*; Phytoprotection; Salicylic acid 199
Elevated CO_2; *Dactylis glomerata*; Nitrogen supply; *Trifolium pratense*; Water supply 251
Étangs de pisciculture; Eaux claires; Phytoplanction 211
Fluorescence; Abscissic acid; *Nicotiana tabacum*; Ozone; Xanthophylls 271
Forest decline; *Abies firma*; Acid fog; Chlorophyll; Water loss 155
Fourier transform infrared spectroscopy; Chilling injury; *Cucurbita pepo*; Zucchini squash 1
Fractionated X-ray exposures; Chromosome fast rejoining; Iron and copper enrichments; *Nigella damascena* 87
Free radical; Antioxidative enzymes; EDU; Glutathione; HPLC-EC; Hydroxyl radical; Ozone injury; *Phaseolus vulgaris*; Phytoprotection; Salicylic acid 199
Germination ecology; *Datura stramonium*; Light quality; Phytochrome; Seed dormancy; Very low fluence response; Weeds 61
Global change; Aerial fertilization effect; Carbon dioxide; CO_2; Greenhouse effect; Photosynthesis; Plant growth 15
Glutathione; Antioxidative enzymes; EDU; Free radical; HPLC-EC; Hydroxyl radical; Ozone injury; *Phaseolus vulgaris*; Phytoprotection; Salicylic acid 199
Glycine betaine; *Avena*; Abscisic acid; ABA; Cold tolerance; Drought; Lipids; Proline; Sucrose 99
Gossypium barbadense; Apical dominance; *Campylomma livida*; Cotton; *Creontiades dilutus*; *Gossypium hirsutum*; *Helicoverpa* spp.; Insect herbivory 145
Gossypium hirsutum; Apical dominance; *Campylomma livida*; Cotton; *Creontiades dilutus*; *Gossypium barbadense*; *Helicoverpa* spp.; Insect herbivory 145
Greenbug; Barley; *Hordeum vulgare*; P-influx; *Schizaphis graminum*; Systemic damage 109
Greenhouse effect; Aerial fertilization effect; Carbon dioxide; CO_2; Global change; Photosynthesis; Plant growth 15
Helicoverpa spp.; Apical dominance; *Campylomma livida*; Cotton; *Creontiades dilutus*; *Gossypium barbadense*; *Gossypium hirsutum*; Insect herbivory 145
Herbivory; Defoliation; DIBOA; Hydroxamic acids; Rye; *Secale cereale*; Secondary metabolites 231
Hordeum vulgare; Barley; Greenbug; P-influx; *Schizaphis graminum*; Systemic damage 109
HPLC-EC; Antioxidative enzymes; EDU; Free radical; Glutathione; Hydroxyl radical; Ozone injury; *Phaseolus vulgaris*; Phytoprotection; Salicylic acid 199
Hydroxamic acids; Defoliation; DIBOA; Herbivory; Rye; *Secale cereale*; Secondary metabolites 231
Hydroxyl radical; Antioxidative enzymes; EDU; Free radical; Glutathione; HPLC-EC; Ozone injury; *Phaseolus vulgaris*; Phytoprotection; Salicylic acid 199
Insect herbivory; Apical dominance; *Campylomma livida*; Cotton; *Creontiades dilutus*; *Gossypium barbadense*; *Gossypium hirsutum*; *Helicoverpa* spp. 145
Interaction; Nematode; O_3; SO_2; Stomata; Tomato; Transpiration; Yield 117
Iron and copper enrichments; Chromosome fast rejoining; Fractionated X-ray exposures; *Nigella damascena* 87
Leaf hairs; *Olea europaea*; Phenolics; *Quercus coccifera*; *Quercus ilex*; UV-B radiation; *Verbascum speciosum* 223
Lens culinaris; Proteases; Protein degradation; Seed germination 263
Lichen; Metal ion; *Parmelia glabratula* ssp. *fuliginosa*; Slate substratum; *Xanthoparmelia conspersa* 73
Lichens; Cellular location; Chlorophyll fluorescence; *Cladonia portentosa*; Copper; Desiccation; *Ramalina fastigiata*; *Usnea* spp. 165
Light quality; *Datura stramonium*; Germination ecology; Phytochrome; Seed dormancy; Very low fluence response; Weeds 61

Lipids; *Avena*; Abscisic acid; ABA; Cold tolerance; Drought; Glycine betaine; Proline; Sucrose 99
Low temperature; Cultivars; N_2 fixation; NO_3 utilization; Physiology; Soyabean 49
Lysimeter; Orchardgrass (*Dactylis glomerata* L.); Red-to-far-red ratio; Tall fescue (*Festuca arundinacea* Schhreb); Water stress 81
Membrane potential; Nickel; Radish; *Raphanus sativus*; Seed germination 187
Metal ion; Lichen; *Parmelia glabratula* ssp. *fuliginosa*; Slate substratum; *Xanthoparmelia conspersa* 73
N_2 fixation; Cultivars; Low temperature; NO_3 utilization; Physiology; Soyabean 49
Nematode; Interaction; O_3; SO_2; Stomata; Tomato; Transpiration; Yield 117
Nickel; Membrane potential; Radish; *Raphanus sativus*; Seed germination 187
Nicotiana tabacum; Abscissic acid; Fluorescence; Ozone; Xanthophylls 271
Nigella damascena; Chromosome fast rejoining; Fractionated X-ray exposures; Iron and copper enrichments 87
Nitrogen fixation; CO_2 enrichment; Radiation use efficiency; Temperature effect; *Trifolium repens* 131
Nitrogen supply; *Dactylis glomerata*; Elevated CO_2; *Trifolium pratense*; Water suppiy 251
NO_3 utilization; Cultivars; Low temperature; N_2 fixation; Physiology; Soyabean 49
O_3; Interaction; Nematode; SO_2; Stomata; Tomato; Transpiration; Yield 117
Olea europaea; Leaf hairs; Phenolics; *Quercus coccifera*; *Quercus ilex*; UV-B radiation; *Verbascum speciosum* 223
Orchardgrass (*Dactylis glomerata* L.); Lysimeter; Red-to-far-red ratio; Tall fescue (*Festuca arundinacea* Schhreb); Water stress 81
Oxygen evolution; Photosystem II; Senescence; Thermoluminescence; Ultraviolet 237
Ozone injury; Antioxidative enzymes; EDU; Free radical; Glutathione; HPLC-EC; Hydroxyl radical; *Phaseolus vulgaris*; Phytoprotection; Salicylic acid 199
Ozone; Abscissic acid; Fluorescence; *Nicotiana tabacum*; Xanthophylls 271
P-influx; Barley; Greenbug; *Hordeum vulgare*; *Schizaphis graminum*; Systemic damage 109
Parmelia glabratula ssp. *fuliginosa*; Lichen; Metal ion; Slate substratum; *Xanthoparmelia conspersa* 73
PGR-IV; Cotton; Photosynthesis; Water potential components; Water stress 7
Phaseolus vulgaris; Antioxidative enzymes; EDU; Free radical; Glutathione; HPLC-EC; Hydroxyl radical; Ozone injury; Phytoprotection; Salicylic acid 199
Phenolics; Leaf hairs; *Olea europaea*; *Quercus coccifera*; *Quercus ilex*; UV-B radiation; *Verbascum speciosum* 223
Photosynthesis; Aerial fertilization effect; Carbon dioxide; CO_2; Global change; Greenhouse effect; Plant growth 15
Photosynthesis; Cotton; PGR-IV; Water potential components; Water stress 7
Photosystem II; Oxygen evolution; Senescence; Thermoluminescence; Ultraviolet 237
Physiology; Cultivars; Low temperature; N_2 fixation; NO_3 utilization; Soyabean 49
Phytochrome; *Datura stramonium*; Germination ecology; Light quality; Seed dormancy; Very low fluence response; Weeds 61
Phytoplanction; Eaux claires; Étangs de pisciculture 211
Pinus strobus; *Acer rubrum*; *Quercus rubra*; Root respiration; Time response 243
Plant growth; Aerial fertilization effect; Carbon dioxide; CO_2; Global change; Greenhouse effect; Photosynthesis 15
Plant uptake; *Carex pilulifera*; Potassium deficiency; Soil pH; Rubidium 181
Potassium deficiency; *Carex pilulifera*; Plant uptake; Soil pH; Rubidium 181
Proline; *Avena*; Abscisic acid; ABA; Cold tolerance; Drought; Glycine betaine; Lipids; Sucrose 99
Proteases; *Lens culinaris*; Protein degradation; Seed germination 263
Protein degradation; *Lens culinaris*; Proteases; Seed germination 263
Quercus coccifera; Leaf hairs; *Olea europaea*; Phenolics; *Quercus ilex*; UV-B radiation; *Verbascum speciosum* 223
Quercus ilex; Leaf hairs; *Olea europaea*; Phenolics; *Quercus coccifera*; UV-B radiation; *Verbascum speciosum* 223
Quercus rubra; *Acer rubrum*; *Pinus strobus*; Root respiration; Time response 243
Radiation use efficiency; CO_2 enrichment; Nitrogen fixation; Temperature effect; *Trifolium repens* 131
Radish; Nickel; Membrane potential; *Raphanus sativus*; Seed germination 187
Ramalina fastigiata; Cellular location; Chlorophyll fluorescence; *Cladonia portentosa*; Copper; Desiccation; Lichens; *Usnea* spp. 165
Raphanus sativus; Nickel; Membrane potential; Radish; Seed germination 187
Red-to-far-red ratio; Lysimeter; Orchardgrass (*Dactylis glomerata* L.); Tall fescue (*Festuca arundinacea* Schhreb); Water stress 81

Root respiration; *Acer rubrum*; *Pinus strobus*; *Quercus rubra*; Time response 243
Rubidium; *Carex pilulifera*; Plant uptake; Potassium deficiency; Soil pH 181
Rye; Defoliation; DIBOA; Herbivory; Hydroxamic acids; *Secale cereale*; Secondary metabolites 231
Salicylic acid; Antioxidative enzymes; EDU; Free radical; Glutathione; HPLC-EC; Hydroxyl radical; Ozone injury; *Phaseolus vulgaris*; Phytoprotection 199
Schizaphis graminum; Barley; Greenbug; *Hordeum vulgare*; P-influx; Systemic damage 109
Secale cereale; Defoliation; DIBOA; Herbivory; Hydroxamic acids; Rye; Secondary metabolites 231
Secondary metabolites; Defoliation; DIBOA; Herbivory; Hydroxamic acids; Rye; *Secale cereale* 231
Seed dormancy; *Datura stramonium*; Germination ecology; Light quality; Phytochrome; Very low fluence response; Weeds 61
Seed germination; *Lens culinaris*; Proteases; Protein degradation 263
Seed germination; Nickel; Membrane potential; Radish; *Raphanus sativus* 187
Senescence; Oxygen evolution; Photosystem II; Thermoluminescence; Ultraviolet 237
Slate substratum; Lichen; Metal ion; *Parmelia glabratula* ssp. *fuliginosa*; *Xanthoparmelia conspersa* 73
SO_2; Interaction; Nematode; O_3; Stomata; Tomato; Transpiration; Yield 117
Soil depth; Aldicarb; Cotton; Growth and development; Temperature 39
Soil pH; *Carex pilulifera*; Plant uptake; Potassium deficiency; Rubidium 181
Soyabean; Cultivars; Low temperature; N_2 fixation; NO_3 utilization; Physiology 49
Stomata; Interaction; Nematode; O_3; SO_2; Tomato; Transpiration; Yield 117
Sucrose; *Avena*; Abscisic acid; ABA; Cold tolerance; Drought; Glycine betaine; Lipids; Proline 99
Systemic damage; Barley; Greenbug; *Hordeum vulgare*; P-influx; *Schizaphis* graminum 109
Tall fescue (*Festuca arundinacea* Schhreb); Lysimeter; Orchardgrass (*Dactylis glomerata* L.); Red-to-far-red ratio; Water stress 81
Temperature; Aldicarb; Cotton; Growth and development; Soil depth 39
Temperature effect; CO_2 enrichment; Nitrogen fixation; Radiation use efficiency; *Trifolium repens* 131
Thermoluminescence; Oxygen evolution; Photosystem II; Senescence; Ultraviolet 237
Time response; *Acer rubrum*; *Pinus strobus*; *Quercus rubra*; Root respiration 243
Tomato; Interaction; Nematode; O_3; SO_2; Stomata; Transpiration; Yield 117
Transpiration; Interaction; Nematode; O_3; SO_2; Stomata; Tomato; Yield 117
Trifolium pratense; *Dactylis glomerata*; Elevated CO_2; Nitrogen supply; Water supply 251
Trifolium repens; CO_2 enrichment; Nitrogen fixation; Radiation use efficiency; Temperature effect 131
Ultraviolet; Oxygen evolution; Photosystem II; Senescence; Thermoluminescence 237
Usnea spp.; Cellular location; Chlorophyll fluorescence; *Cladonia portentosa*; Copper; Desiccation; Lichens; *Ramalina fastigiata* l 165
UV-B radiation; Leaf hairs; *Olea europaea*; Phenolics; *Quercus coccifera*; *Quercus ilex*; *Verbascum speciosum* 223
Verbascum speciosum; Leaf hairs; *Olea europaea*; Phenolics; *Quercus coccifera*; *Quercus ilex*; UV-B radiation 233
Very low fluence response; *Datura stramonium*; Germination ecology; Light quality; Phytochrome; Seed dormancy; Weeds 61
Water loss; *Abies firma*; Acid fog; Chlorophyll; Forest decline 155
Water potential components; Cotton; Photosynthesis; PGR-IV; Water stress 7
Water stress; Cotton; Photosynthesis; PGR-IV; Water potential components 7
Water stress; Lysimeter; Orchardgrass (*Dactylis glomerata* L.); Red-to-far-red ratio; Tall fescue (*Festuca arundinacea* Schhreb) 81
Water supply; *Dactylis glomerata*; Elevated CO_2; Nitrogen supply; *Trifolium pratense* 251
Weeds; *Datura stramonium*; Germination ecology; Light quality; Phytochrome; Seed dormancy; Very low fluence response 61
Xanthoparmelia conspersa; Lichen; Metal ion; *Parmelia glabratula* ssp. *fuliginosa*; Slate substratum 73
Xanthophylls; Abscissic acid; Fluorescence; *Nicotiana tabacum*; Ozone 271
Yield; Interaction; Nematode; O_3; SO_2; Stomata; Tomato; Transpiration 117
Zucchini squash; Chilling injury; *Cucurbita pepo*; Fourier transform infrared spectroscopy 1